What is claimed is:

[Claim 1] A method for facilitating changes to security systems, said method including:

detecting a back-end security update in a back-end database; comparing said back-end security update to front-end security information stored on a front-end database; and

reconstructing said back-end database to conform to said front-end database.

- [Claim 2] The method according to claim 1, further comprising the step of filtering back-end database information.
- [Claim 3] The method according to claim 2, wherein said step of filtering back-end database information includes employing naming conventions.
- [Claim 4] The method according to claim 1, further comprising the step of transferring information from said back-end database to said front-end database.
- [Claim 5] The method according to claim 1, wherein said back-end security update is a RACF update.
- [Claim 6] The method according to claim 1, wherein said back-end security update is a TPF update.
- [Claim 7] The method according to claim 1, wherein said back-end security update is a CA-ACF2 update.
- [Claim 8] The method according to claim 1, wherein said back-end security update is a LDAP update.
- [Claim 9] The method according to claim 1, wherein said step of reconstructing further includes at least one of the steps of: matching information stored on a back-end database to information stored on a front-end database, generating a counteracting command sequence, transferring

said command sequence from a front-end system to a back-end system, and executing said command system.

[Claim 10] A security system including:

a device configured to detect a back-end security update on a back-end database:

a device configured to compare said back-end security update to frontend security information stored on a front-end database; and

a device configured to reconstruct said back-end database to conform it to said front-end database.

[Claim 11] The system according to claim 10, wherein said devices are configured to operate in one of a real time and batch processing mode.

[Claim 12] The system of claim 10, wherein said front-end database includes two or more data tables.

[Claim 13] The system of claim 10, wherein said device configured to detect said back-end security update is further configured to filter back-end update information.

[Claim 14] A method for facilitating changes to security systems, said method including:

sending a back-end update from a local back-end system to a front-end database:

detecting said back-end update on said front-end database;

formatting said back-end security update to create an update command; and

transferring said update command to a remote back-end system.

[Claim 15] The method of claim 14, wherein said step of formatting includes assigning a destination to said update command.